

Model:
Modèle :
DH 20



NOTE: Do not return your DECKHAND to your retailer. Your retailer is not authorized to repair or replace this unit. You may obtain service by:

- calling MINN KOTA at 1-800-227-6433
- returning your Deckhand to the MINN KOTA Factory Service Center,
- sending or taking your DECKHAND to any MINN KOTA authorized service center on the enclosed list.

Please include proof of purchase, serial number and purchase date for warranty service with any of the above options.

REMARQUE : Ne retournez pas votre guindeau DECKHAND à votre détaillant. Votre détaillant n'est pas autorisé à réparer ou remplacer cette unité. Vous pouvez obtenir de l'aide en :

- appelant MINN KOTA au 1-800-227-6433
- retournant votre guindeau Deckhand au centre de service après-vente en usine MINN KOTA
- envoyant ou amenant votre guindeau DECKHAND à un centre de service après-vente MINN KOTA agréé compris sur la liste ci-jointe.

Veuillez inclure un justificatif d'achat, le numéro de série et la date d'achat pour la réparation sous garantie quand vous choisissez l'une des options mentionnées ci-dessus.

OWNER'S MANUAL
MODE D'EMPLOI

Serial Number **DH** _____
N° de série _____
Purchase Date _____
Date d'achat _____

CAUTION: Read Manual
Carefully Before Operating Your
New MINN KOTA DECKHAND.
Retain For Future Reference.

PRÉCAUTION : Lisez attentive-
ment ce manuel avant d'utiliser
votre nouveau guindeau MINN
KOTA DECKHAND. Gardez-le
pour vous y reporter à l'avenir.

INSTALLATION	INSTALLATION	pg.2-4
ELECTRICAL CONNECTIONS	CONNEXIONS ÉLECTRIQUES	pg.10-11
TESTING / OPERATION	ESSAIS / FONCTIONNEMENT	pg.12
OPERATION	FONCTIONNEMENT	pg.13-14
MAINTENANCE	ENTRETIEN	pg.15
SCHEMATIC	SCHÉMAS	pg.16-17
PARTS LIST	LISTE DES PIÈCES	pg.18
LIMITED WARRANTY	GARANTIE LIMITÉE	pg.19

Limited Warranty:

Johnson Outdoors Inc.-MINN KOTA warrants to the original purchaser that its MINN KOTA Deckhand is free from defects in materials or workmanship for a period of two (2) years from the date of purchase, except that this warranty shall not apply to any product used commercially. The unit must be returned, prepaid and with proof of the date of purchase and serial number to either of the following:

- MINN KOTA Factory Service Center, 706 Holly Lane, Mankato MN, 56001, U.S.A. 56001
- or to any authorized MINN KOTA service center listed on the enclosed sheet.

NOTE: Do not return your MINN KOTA Deckhand or parts to your retailer. Your retailer is not authorized to repair or replace this unit.

If after inspection, we find that the product was defective in material or workmanship, we shall, at our option, repair or replace it without charge. We are not responsible for normal wear and tear or for defects caused by accidents, abuse, alteration, modification, misuse or improper care.

There are no other express warranties beyond the terms of this limited warranty. In no event shall any implied warranties, including merchantability and fitness for a particular purpose, extend beyond the duration of the express warranty contained herein. In no event shall Johnson Outdoors Inc.- MINN KOTA, be liable for incidental or consequential damages.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion of limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights and you may have other rights which vary from state to state.

Information regarding this warranty performance may be obtained by contacting MINN KOTA at:

**1-800-227-6433 or
FAX at 1-800-527-4464**

"WARNING: This product contains chemical(s) known to the state of California to cause cancer and/or reproductive toxicity."

Garantie limitée :

Johnson Outdoors Inc.- MINN KOTA garantit à l'acheteur d'origine que son guindeau MINN KOTA Deckhand sera exempt de défaut de matériaux ou de main d'œuvre pendant une période de deux (2) ans à partir de la date d'achat ; cette garantie exclut les produits utilisés commercialement. L'unité doit être renvoyée, fret prépayé avec justificatif d'achat, date d'achat et numéro de série à l'un des suivants :

- MINN KOTA Factory Service Center, 706 Holly Lane, Mankato MN, 56001, U.S.A.
- ou un centre de service après-vente MINN KOTA agréé listé sur la feuille ci-jointe.

REMARQUE : Ne renvoyez pas votre guindeau MINN KOTA Deckhand ou ses pièces à votre détaillant. Il n'est pas autorisé à réparer ou remplacer cette unité.

Si après inspection, nous découvrons que le produit est défectueux en matériaux ou main d'œuvre, nous, selon notre choix, le réparerons ou le remplacerons sans frais. Nous ne pouvons pas être tenus responsables de l'usure normale ou des défauts causés par des accidents, l'abus, les modifications, le mauvais emploi ou les mauvais soins.

Il n'existe pas de garanties exprimées autres que celle établie par les termes de cette garantie limitée. En aucun cas, une garantie implicite, y compris l'aptitude à être vendu ou à convenir à un but particulier, ne sera valide au-delà de la durée de la garantie exprimée ici. En aucun cas, Johnson Outdoors Inc. – MINN KOTA ne pourra être tenue responsable des dégâts accidentels ou conséquents.

Quelques états ne permettent pas de limites sur la durée des garanties implicites ou sur l'exclusion ou la limitation des dégâts accidentels ou conséquents, donc il se peut que les limitations ou exclusions ci-dessus ne s'appliquent pas à vous. Cette garantie vous procure des droits légaux spécifiques et vous pouvez aussi avoir d'autres droits qui varient d'un état à l'autre.

Les renseignements au sujet de la performance de cette garantie peuvent être obtenus en prenant contact avec MINN KOTA au :

1-800-227-6433 ou par télécopie au : 1-800-527-4464 (USA)

« AVERTISSEMENT : Ce produit contient un (des) produit(s) chimique(s) connu(s) de l'état de la

Item	Part	Description
1	237-0203	Cover DH-20
2	230-3005	Pig Ring (2 .ea DH-20)
3	237-2121	Screw-#8-18x 1-1/2 Stallgrd (2 .ea)
4	237-2111	Screw-#8-18x3/4 Stallgrd (2 .ea)
■	237-7800	Motor Assembly - DeckHand- Includes 6-13
6	237-5400	Shrink Tube 1/4x1-3/4 (2 .ea)
8	350-154	Gear
9	990-077	Washer - Nylatron (2 .ea)
10	990-075	Washer - Steel
11	410-015	Cover- Housing
11a	337-015	Gasket
12	830-036	Screw - 10-32x.375 (4.ea)
13	788-030	Retaining Ring
14	222-3455	Screw-#10-32x1/2 (3 .ea)
14a	226-1718	Washer- Lock Star #10 Ext Tooth 3.ea)
15	237-7900	Spool includes 60' rope
16	237-0000	Bearing-Spool
17	226-3010	E-Ring 3/8 Dia Shaft
18	237-1900	Base- Mounting E-Coat
19	237-4010	Switch-Momentary Anchor
20	237-2130	Screw-#4-40x3/4 PPH (2 .ea)
21	237-3100	Nut-Con/Mom Swt Anchor (2 .ea)
22	237-2700	Spring-Anchor
23	237-2900	Grommet-Anchor Cover Short (2 .ea)
24	237-2910	Grommet-Anchor Cover Long (2 .ea)
25	237-6300	Wire- Routing Clip (2 .ea)
■	299-4803	Bag Assembly (includes 26-30)
26	215-3501	Bolt- Mounting 3500 w/stallgd (4 .ea)
27	230-1720	Mounting Washer-Rubber (6 .ea)
29	215-1726	Washer 5/16 STD SS (4 .ea)
30	215-3100	Nut 5/16 (4 .ea)
32	237-8000	Anchor-Upper Half
33	237-8100	Anchor-Lower Half
34	237-2100	Screw #8-18x5/8 (8 .ea)
35	237-2800	Keeper Block
36	237-3600	Lock Pin-Anchor
38	299-4804	Bag Assembly (Anchor plug & screws)
39	237-4000	Switch-Control Anchor
40	237-6500	Switch Housing (DH- 20)
41	237-6510	Switch Plate
42	237-2150	Screw-Switch Plate 6-20x1/2 (3 .ea)
43	237-0700	Control Wire (DH-20)
44	237-0602	Leadwire (DH- 20)
45	237-1610	Rope Guide
46	237-2710	Spring-Rope Guide
47	215-1700	Washer- Eye Shaft (2 .ea)
48	237-2615	Cotter Pin 3/32x3/4 (2 .ea)
49	237-8204	Circuit Breaker
50	237-2031	Tubing- Heat Shrink
52	237-1412	Connecting Cable 14ga (DH-20)


INSTRUCTIONS FOR DH-20

NOTE: Numbers in () are item numbers referring to parts list and diagram.

IMPORTANT: For proper operation,the DeckHand must be mounted on a level surface. Use the rubber washers (27) to create a level surface if necessary. On fishing boats without decks, DeckHand can be mounted on a hardwood platform and then attached to gunwales.

1. Remove DeckHand cover (1) by removing screws, items (3) and (4).
2. Place the base (18) in your desired mounting location. Make sure the base extends a minimum of 3" over the edge of boat.
3. Mark at least 4 of the 6 pre-drilled bolt hole locations provided in your base for drilling. **Make sure there are no obstructions under the mounting surface prior to drilling.** Drill through the marked holes using a 21/64" drill bit.
4. Once drilled, mount the base using the mounting hardware (bolts washers and nuts)

ing the mounting washers between the base and the boat surface. If needed, two extra mounting washers are provided for insuring a level mounting surface. Tighten mounting hardware securely. Do not replace cover (1) at this time. See "Function Test" section.



INSTRUCTIONS POUR LE DH-20

REMARQUE : Les numéros entre () sont des numéros d'article servant de référence entre la liste des pièces et les schémas.

IMPORTANT : Pour lui permettre de fonctionner correctement, le guindeau doit être monté sur une surface de niveau. Utilisez les rondelles de caoutchouc (27) pour le niveler si besoin est. Sur les bateaux de pêche sans pont, le guindeau peut être monté sur une plateforme de bois et alors fixé aux plats-bords.

1. Enlevez le couvercle (1) du guindeau en retirant les vis (3) et (4).
2. Placez le socle (18) dans l'emplacement de montage que vous désirez. Assurez-vous que le socle dépasse d'un minimum de 7,62 cm (3 po) du bord du bateau.
3. Marquez l'emplacement d'au moins 4 des 6 trous pour boulon pré-perforés dans votre socle pour les réaliser. **Assurez-vous qu'il n'existe aucun obstacle sous la surface de montage avant de percer.** Réalisez les trous marqués au moyen d'une mèche de 8,33 mm (21/64 po).
4. Après avoir percé les trous, montez le socle au moyen du matériel de montage (boulons, rondelles et écrous) fournis. Utilisez au moins quatre boulons (26) et des rondelles de montage (27) en caoutchouc de 2,54 cm (1 po) ; placez les rondelles de montage entre le socle et la surface du bateau. Si besoin est, deux autres rondelles de montage sont fournies pour garantir une surface de montage de niveau. Serrez fermement le matériel de montage. Ne remettez pas le couvercle (1) à ce point. Voyez la section intitulée « Essai des fonctions ».


FILLING THE ANCHOR ON THE DH-20

Your DeckHand anchor must be filled with steel shot (not provided). It is recommended to use a shot size of #6 through #9. When filled with steel shot your anchor will weigh approximately 15 pounds.

1. Hold the anchor assembly upside down.
2. Fill the anchor with shot, pack shot manually to achieve a complete fill.
3. Once filled, place the plug (38) in position.
4. Install four of the screws provided (34). Do not over tighten screws.

LOCK LEVER OPERATIONS FOR THE DH-20

Your DeckHand is provided with a lock lever located on the bottom of your anchor. To operate, retract anchor into base and turn lock lever in direction of arrow to 'Lock' position. Lock lever provides convenient extra security on rough water and when trailering.




REEMPLIR L'ANCRE DU DH-20



L'ancre de votre guindeau doit être remplie de bille d'acier (pas fournies). Nous vous recommandons d'utiliser une taille de bille n° 6 à 9. Une fois remplie de billes d'acier, votre ancre pèsera environ 15 livres.

1. Tenez l'assemblage de l'ancre renversé.
2. Remplissez l'ancre de billes, tassez-les manuellement pour la remplir complètement.
3. Une fois remplie, placez le bouchon (38) en position.
4. Installez quatre des vis (34) fournies. Ne serrez pas trop les vis.

FONCTIONNEMENTS DU LEVIER DE BLOCAGE POUR LE DH-20

Votre guindeau est accompagné d'un levier de blocage situé au bas de votre ancre. Pour le faire fonctionner, rétractez l'ancre dans le socle et tournez le levier de blocage dans le sens indiqué par la flèche en position de blocage « Lock ». Le levier de blocage fournit une sécurité supplémentaire pratique en eaux agitées et lors du remorquage.






ATTACHING THE ANCHOR ON DH-20

Your DeckHand Electric anchor winch is spooled with sixty-feet of 3/16" diameter rope. The use of smaller diameter or alternate style ropes is not recommended.

1. Release free end of rope from spool (15), unroll a minimum of three-feet from the spool.
2. Thread free end of rope through rope guide (45) then 2 1/2" diameter opening in front of base (18). Pull slack through opening.
3. Thread rope through hole in top of anchor. Pull rope through exit hole.
4. Tie a knot securely in end of rope such that rope will not pull through hole. A figure 8 knot is recommended. (See diagram below.)




ATTACHER L'ANCRE SUR LE DH-20

Le treuil de l'ancre de votre guindeau électrique comporte une bobine de corde d'un diamètre de 4,76 mm (3/16 po) et d'une longueur de 18,3 m (60 pi). L'emploi de cordes d'un diamètre plus petit ou d'un autre style n'est pas recommandé.

1. Libérez l'extrémité qui n'est pas attachée de la bobine (15), déroulez-en un minimum de 1 m (3 pi).
2. Enfilez cette extrémité de la corde par le guide de corde (45), puis dans l'ouverture d'un diamètre de 6,35 cm (2 1/2 po) de l'avant du socle (18). Tirez le mou par l'ouverture.
3. Enfilez la corde dans le trou au haut de l'ancre. Passez la corde par le trou de sortie.
4. Faites un nœud bien serré sur l'extrémité de la corde de façon à ce qu'elle ne puisse pas sortir du trou. Un nœud de huit est recommandé. (Voyez le schéma ci-dessous.)

FUNCTION TEST

1. With attached anchor hanging over edge of boat, depress and hold the "UP" portion of the rocker control switch. Anchor should retract into the base on DH- 20. Release control switch when anchor is fully seated in base.
2. Depress the "DOWN" portion of the rocker control switch (When depressed, the switch will stay in the "DOWN" position until manually placed in the "OFF" position). Anchor should lower automatically. Gear motor will shut off when anchor comes in contact with ground surface.
3. With control switch still in "DOWN" position, pull on rope. Rope should automatically feed out. This is your electronic anti-drag system.
4. Place control switch in "OFF" position with anchor still on ground and repeat pull test. Rope should not feed out. The control switch must be placed in the "OFF" position to prevent rope feed when anchored.



ESSAI DES FONCTIONS

1. L'ancre attachée et suspendue par-dessus le bord du bateau, appuyez et maintenez la partie « UP » de l'interrupteur de commande à bascule. L'ancre devrait être rétractée dans le socle du DH-20. Relâchez l'interrupteur de commande quand l'ancre est complètement assise dans le socle.
2. Appuyez sur la partie « DOWN » de l'interrupteur de commande à bascule (quand ainsi enfoncé, l'interrupteur reste en position « DOWN » jusqu'à être placé manuellement en position « OFF »). L'ancre devrait être abaissée automatiquement. Le moteur à engrenages arrêtera l'ancre quand elle entrera en contact avec le sol.
3. L'interrupteur de commande encore en position « DOWN », tirez la corde. La corde devrait automatiquement sortir. Ceci est dû à votre système électronique anti-trai-nage.
4. Placez l'interrupteur de commande en position « OFF » alors que l'ancre est encore sur le sol et répétez l'essai dans lequel vous tirez la corde. La corde ne devrait plus sortir. L'interrupteur de commande doit être placé en position « OFF » pour éviter la sortie de la corde quand ancré.

MAINTENANCE

- After use, rinse unit in fresh water and wipe down unit with a damp cloth. This unit is not intended for saltwater use. Saltwater use will void your warranty.
- For prolonged storage, lightly coat metal parts with silicone spray or similar product.
- Avoid spraying switch components with any cleaning, lubricating or moisture absorbing compounds. Check rope periodically for frays or cuts and replace if necessary.

TROUBLESHOOTING

1. Unit fails to operate or lacks power:
 - Check circuit breaker, be sure button is pressed. If circuit breaker is tripped, investigate the cause of the problem before resetting.
 - Check battery charge and connections. Be sure terminals are clean and corrosion free. Use a fine grade of sandpaper or emery cloth to clean terminals.
 - Check your batteries water level. Add water if needed. If connections are good and battery has a full charge, obtain service as instructed.
2. Alternate Anchors:
 - This is not recommended as there is not a sufficient locking mechanism with other anchors.
3. Anchor does not go down:
 - Check lock lever.
 - Check circuit breaker, be sure button is pressed.
 - Check battery connections.

ENTRETIEN

- Après l'avoir utilisée, rincez l'unité à l'eau douce et essuyez-la au moyen d'un chiffon humide. Cette unité n'est pas destinée à être utilisée en eau salée. Son utilisation en eau salée en annulera la garantie.
- Avant de la ranger pour de longues périodes, enduisez-en les pièces métalliques d'une légère couche de silicone en bombe ou d'un produit similaire.
- Évitez de vaporiser des composés de nettoyage, lubrification ou d'absorption d'humidité sur les composants de l'interrupteur. Examinez périodiquement la corde pour voir si elle est effilochée ou coupée et remplacez-la si besoin est.

DÉPANNAGE

1. L'unité ne fonctionne pas ou n'est pas assez puissante :
 - Contrôlez le disjoncteur, assurez-vous que son bouton est enfoncé. Si le disjoncteur a sauté, trouvez-en la raison avant de le rétablir.
 - Vérifiez la charge et les connexions de la batterie. Assurez-vous que les cos- ses sont propres et sans corrosion. Utilisez du papier de verre ou de la toile émeri à grains fins pour nettoyer les cos- ses.
 - Vérifiez le niveau d'eau de vos batteries. Ajoutez-y de l'eau au besoin. Si les connexions sont bonnes et la batterie est complètement chargée, faites-la réparer comme instruit.
2. Autres ancres :
 - Ceci n'est pas recommandé car il n'y a pas de mécanisme de blocage suffisant pour les autres ancres.
3. L'ancre ne descend pas :
 - Voyez le levier de blocage.
 - Inspectez le disjoncteur, assurez-vous que son bouton est enfoncé.
 - Examinez les connexions de batterie.

CONTROL SWITCH OPERATIONS

WARNING: Keep fingers clear of rope and base when operating. Do not operate in normal use with cover off.

Three position rocker control switch has UP, DOWN and OFF positions. DOWN powers the anchor down. The gear motor automatically stops when anchor touches bottom. With the control switch in DOWN position, electronic anti- drag system lets out necessary slack to prevent anchor drag. The OFF position locks gear motor and rope. The UP position powers anchor up and retracts anchor into the DeckHand base. Releasing the control switch automatically switches to OFF and secures anchor and anchor rope.

CIRCUIT BREAKER OPERATION

The power control circuitry and gear motor are protected by a manual resettable circuit breaker. Should an operational situation occur where a prolonged overload is present the circuit breaker will disconnect the battery positive supply in approximately ten seconds. The circuit breaker needs to be manually reset by pushing the small black button on the side. Repeated tripping of the circuit breaker indicates an operational or equipment fault that requires correction.

FONCTIONNEMENTS DE L'INTERRUPTEUR DE COMMANDE

AVERTISSEMENT : Gardez les doigts éloignés de la corde ou du socle quand le guindeau est en marche. Ne l'utilisez pas normalement sans cou-

L'interrupteur de commande à bascule à trois positions comporte les positions de relevage « UP », d'abaissement « DOWN » et d'arrêt « OFF ». « DOWN » abaisse électriquement l'ancre. Le moteur à engrenages s'arrête automatiquement quand l'ancre touche le fond. Alors que l'interrupteur de commande est en position « DOWN », le système électronique anti-trainage laisse sortir assez de corde pour empêcher de traîner l'ancre. La position « OFF » bloque le moteur à engrenages et la corde. La position « UP » relève électriquement l'ancre et la rétracte dans le socle du guindeau. Relâcher l'interrupteur de commande le place automatiquement en position « OFF » et bloque l'ancre et sa corde.

FONCTIONNEMENT DU DISJONCTEUR

Les circuits de commande électriques et le moteur à engrenages sont protégés par un disjoncteur pouvant être rétabli manuellement. Si une situation de fonctionnement survenait où une surcharge prolongée était présente, le disjoncteur couperait l'alimentation du positif de la batterie après approximativement 10 secondes. Le disjoncteur doit être rétabli manuellement en enfonçant le petit bouton noir sur son côté. Un disjoncteur qui saute d'une manière répétitive indique un défaut de fonctionnement ou de l'équipement qui doit être rectifié.

5. If your DeckHand does not operate properly through function test, recheck wire connections to insure proper hook-up. If your DeckHand operates properly through function test, replace cover and cover screws.

ROPE REPLACEMENT AND INSTALLATION

Spool and rope assemblies may be purchased direct from Minn Kota or authorized Minn Kota Service Centers. Should you decide to replace your own rope, it is recommended to use a 3/16" diameter diamond braid polyester or nylon rope.

1. Remove existing rope.
2. Thread new rope through front opening in base (18) and then through rope guide (45).
3. Tie one double knot in new rope approximately ten-inches from end of rope as shown in diagram on previous page.
4. Thread end of new rope through spool as shown in the diagram and tie a secure knot in end of rope.

-
5. Si votre guindeau ne fonctionne pas correctement lors de l'essai de ses fonctions, vérifiez à nouveau les connexions des fils pour en assurer le bon raccordement. Si votre guindeau fonctionne correctement lors de l'essai de ses fonctions, remettez le couvercle et ses vis.

REEMPLACEMENT ET INSTALLATION DE LA CORDE


L'assemblage de bobine et corde peut être acheté directement chez Minn Kota ou dans un centre de service après-vente Minn Kota agréé. Si vous décidez de remplacer votre corde vous-même, nous vous recommandons d'utiliser une corde de nylon ou de polyester à tresse de diamant d'un diamètre de 4,76 mm (3/16 po).

1. Enlevez la corde existante.
2. Enfilez la nouvelle corde par l'ouverture à l'avant du socle (18), puis par le guide de corde (45).
3. Faites un nœud de capucin sur la nouvelle corde à environ 25 cm (10 po) de son extrémité comme montré dans le schéma de la page précédente.
4. Enfilez l'extrémité de la nouvelle corde dans la bobine comme montré dans le schéma et faites un nœud d'arrêt au bout de la corde.

SWITCH INSTALLATION

Your DeckHand control switch assembly (39) is equipped with an eighteen foot control wire, allowing convenient mounting almost anywhere in the boat.

1. Select a control switch mounting location. If wire routing or control switch mounting requires disconnecting of wires within switch housing (40), take special care to insure that proper reassembly is achieved- refer to wire diagram on page 11.
2. Securely attach switch housing assembly with the two screws (34) provided.



INSTALLATION DE L'INTERRUPTEUR

L'assemblage d'interrupteur de commande (39) de votre guindeau est équipé d'un câble de commande de 5,5 m (18 pi), en permettant le montage pratique presque partout sur le bateau.


1. Choisissez un emplacement de montage pour l'interrupteur de commande. Si l'acheminement du câble ou le montage de l'interrupteur de commande demande le débranchement des fils de l'intérieur du boîtier d'interrupteur (40), prenez particulièrement soins de façon à garantir que son remontage correct sera obtenu - reportez-vous au schéma de câblage sur la page 11.
2. Fixez fermement l'assemblage de boîtier d'interrupteur au moyen des deux vis (34) fournies.

BATTERY CONNECTIONS

1. Center control switch in "Off" position.
2. Connect DeckHand leadwire to 12V battery. If additional leadwire length is needed, use a minimum of 10 gauge wire. Connect red (+) to positive (+) battery terminal. Black (-) to negative (-) battery terminal.

CAUTION:

- Improper polarity hook-up of battery leadwire could cause severe damage to gear motor.
- The DeckHand is provided with a sealed control switch and manual resettable circuit breaker. Substituting switches or installing multiple switches other than those provided will void manufacturers warranty.



CONNEXIONS DE LA BATTERIE

1. Mettez l'interrupteur de commande en position « OFF ».
2. Raccordez le câble principal du guindeau à la batterie de 12 V. Si la longueur du câble n'est pas suffisante, utilisez du fil d'un calibre 10 au minimum pour le rallonger. Raccordez le rouge (+) à la borne positive (+) de la batterie. Connectez le noir (-) à la borne négative (-) de la batterie.

PRÉCAUTION :

- Inverser la polarité du câble principal pourrait causer de graves dégâts au moteur à engrenages.
- Le guindeau est fourni accompagné d'un interrupteur de commande scellé et d'un disjoncteur à rétablissement manuel. Substituer les interrupteurs ou installer plusieurs interrupteurs autres que ceux fournis annulera la garantie du fabricant.

TEXAS

All Star Specialists
3434A Dildo
Dallas 75228-5652
214-320-1673
or 800-362-3790

Ark-La-Tex Marine, Inc.
916 N Robison Rd
Texarkana 75501-6308
903-838-9518

Atex Generator Shop
509 Brook Ave.
Wichita Falls 76301-2104
940-761-4969

B & W Trolling Motor Service
131 East River Oaks Rd.
Early 76802-2603
325-646-2145

Bob Ridgeay Repair Service
605 W. Mockingbird Lane
Dallas 75247-6008
214-630-8161

Boris Marine Electronics
5301 Azle Ave.
Fort Worth 76114-11312
877-Trollin (877-867-5546)

Brumley's Trolling Motor Repair
4502 Petro Dr.
San Angelo 76903
325-655-5905

Capt. Kirk's Marine Service
705 Sawdust
Spring 77380
281-367-5630

East Texas Sonar Sales
3200 N. Eastman Road
Longview 75605
903-663-4648

F & S Tackle
48223 Billy Sames
Adkins, 78101
210-649-1933

Fish Finders Marine Electronics
1101 N Industrial Blvd #E
Round Rock 78681
512-248-8348

G&S Trolling Motors, Inc.
15104 Lee Rd., Ste 205
Humble 77396
281-441-9165

Gulf Coast Trolling Motors
12800 Gulf Freeway
Houston 77075
281-481-6838

Jerry's Troll - Motor Repair
84 Flintrock Trail
Del Rio 78840-2306
830-774-3271

Lake Point Resort
121 Cottage E Hwy 29
Buchanan Dam 78609
512-793-2918

Motor Pro Marine
1920 S 3rd
Mabank 75147
903-887-8909

On-Site RV & Trolling
Motor Svc.
246 Cty. Rd. 1558
Alba 75410
903-765-2019

R1- Bass
6640 Eastex Frwy.
Beaumont 77708
409-898-2277

South Texas Trolling Motor
9705 S Padre Island Dr
Corpus Christi 78418
PHIFAX: 361-939-8970

Tally's Tackle Repair
5449 E Parkway
Groves 77619
409-962-1653

Westside Boat & Trolling Motor
Repair
2406 Galleon Rt Ct
Pearland, 77584
832-423-5471

UTAH

Swede R's at Croft Power
Equipment
596 W 1500 S
Woods Cross, 84087
801-295-4141

VERMONT

Eriksen's Marine
Rt. 7
PO Box 8
Ferrisburgh 05456
802-877-3145

VIRGINIA

Motortech
1436 Holland Rd
Suffolk 23434
757-539-6633

Smith Mountain Boat &
Tackle Inc.
167 Morgan Forks Rd.
Union Hall 24176
540-576-2755

Sports, Inc.
1071 J Clyde Morris Blvd.
Newport News 23602-7221
757-595-9333

The Sportsman Center, Inc.
4011-C Jefferson Davis Hwy.
Stafford 22554
703-221-0100

Wells, Incorporated
3502 Jefferson Davis Hwy.
Richmond 23234
804-233-6726

WASHINGTON

Angler's Choice
20222 Ballinger Way NE
Shoreline(Seattle) 98155
206-364-9827

Angler's Choice
1019 Bridge Rd SE
Yelm 98597
360-400-3246

2B Entz.
320A W Entiat Ave.
Kennewick 99336-3623
509-586-1028

Jim's Electric Trolling Motor
Repair
4214 So. Sunderland Dr.
Spokane 99206-9674
509-928-6743

WEST VIRGINIA

Grove Lawn & Marine
Box 112, Rt. 1
Middle Creek Road
Triadelphia 26059-9707
304-547-5044

West Virginia Marine Inc.
6913 McCorkle Ave. SW
St. Albans 25177
304-727-4134

WISCONSIN

Anchor Marine
N495 Railroad St.
Appleton 54915
414-788-5950
Anchor's A Weigh
2035 S West Ave.
Waukesha, 53186
262-547-7170

The Boat Doc
735 So. Cogswell Dr.
Silver Lake 53170-0400
262-889-4241

Dorn Hardware
209 Cottage Grove Road
Madison 53716-3130
608-222-5511

Grizzly Bob's Bait & Tackle
1218 Hwy. 51
Woodruff 54568
715-356-2680

Hayward Water Sports
12305 W State Hwy 77
Hayward, 54843
715-462-3674

Huntz Service Center
2413 W. Veteran's Prkwy
Marshfield 54449
715-384-9616

Iron River Sports Center, Inc.
8030 Hwy. 2
Iron River 54847
715-372-5252

Northland Marine, Inc.
6691 School St.
Three Lakes 54562-0239
715-546-2333

Props Ahoy
1211 53rd Drive
Union Grove 53182
262-835-4815

Rasmussen Service Center
715 S. Lake Ave./ P.O.Box 11
Phillips 54555
715-339-2421

Riverside Marine
616 W. Wolf River Ave.
New London 54961
414-982-4874

Scheel's All Sports
4710 Golf Rd
Eau Claire, 54701
715-833-1886

Edward F. Schilling
2829 So. 99th St.
West Allis 53227-3322
414-321-9662

Sportsman's Repair Shop
1007 Pasha Ave.
Mosinee 54455
715-693-6634

Thomas Marine
122 E Elm St
Birchwood 54817-0187
715-354-7070

WYOMING

CANADA

A. Aikman Sporting Goods
Repair
3010 Novar Road
Mississauga, Ontario L5B 1S4
905-277-3595

Anglers Choice
867 Grandview Ave
St. John, NB E2J 4C6
506-696-8389

Bison Electronics, Ltd.
20 Hanger Line Rd
Winnipeg, Manitoba R3J 3Y8
204-837-8068

Clement Monfette Service Inc.
317 Canardiére
Limilou, Quebec City G1L 4X2
418-522-5651

Exeter Forest & Marine Sales
PO Box 1658
100 Mile House
British Columbia, V0K 2E0
604-395-4441

J & S Service
2506 Innes Rd
Blackburn Hamlet
Ottawa, Ontario K1B 3J9
613-841-6715

Jagwire Sales & Service
1001B Osler St.
Regina, SK S4R-8N5
306-757-3909

Jay-Cee's Rod and Reel
Repairs
547 Vaughan Ave.
Selkirk, Manitoba R1A 0T2
204-482-7477

Langtry's Service LTD.
1700 King's Hwy
Fort Francis, Ontario P9A 3W8
807-274-8453

Les Main Agiles C.D.P. Ltee
206 Boul. Labelle
Ste. Rose,
Laval, Quebec H7L 3A1
450-625-6963

Mike's Reel Repairs
#108--31060 Peardonville Rd.
Abbotsford, B.C. V2T 6K5
888-404-1119

Milt's Rod & Reel
258 Eagle Bay Rd
Kenora, ON, P9N 4L3
807-468-6491

Nester Falls Marine Ltd.
P.O. Box 69, Hwy 71
Nester Falls, ON POX 1K0
807-484-2131

P & R Auto Electric
21 King ST. E.
Hangersville, Ontario, NOA 1H0
905-768-7688
FAX: 905-768-2202

PTG Electronics
3092 Portage Av
Winnipeg, MB, R3K 0Y2
204-831-0862

Reel Doctor
8816--51st Ave.
Edmonton, AB T6E 5E8
866-431-0146
FAX: 780-281-0146

Rockey's Tackle Services Inc.
10 Brammer Dr.
Orillia, Ontario L3V 7T4
705-325-3526

Roggie's Rod & Reel
943 Canford Crescent S.W.
Calgary, Alberta T2W 1L4
403-281-1434

Ron's Reel Repair
1117-510 Circle Dr. E.
Saskatoon, Sask S7K 7C7
306-653-4293

The Prop Shop
800 Burnett St.
Kingston, ON K7M 5V9
613-634-7033

Service Shiman Au Peche Inc.
9490 Trans Canada Hwy. S
St. Laurent, QU H4S 1R7
514-956-9695

S & R Electronics
805 West Frederica Street
Thunder Bay, Ontario P7E 3X4
807-475-4956

Relectronic-Remech Inc.
785 Bridge St W
Waterloo, ON N2V 2K1
519-884-8138

MINN KOTA®

**Minn Kota Technical
Service
P.O. Box 8129
Mankato, MN 56002-8129
USA
PHONE: 800-227-6433
FAX: 800-527-4464**

ALABAMA

Alabama Trolling Motors
4340-B Vanderbilt Rd.
Birmingham 35217-2401
205-841-3220

D & MTrolling Motor Service
276 Terri Lane
Prattville, 36066
334-361-9814

Dothan Prop Shop
1011 Cloverdale Dr.
Dothan 36301
334-792-5798

Fox's Trolling Motors
4401 Government Blvd.
Mobile 36693-4809
251-661-7033

Humminbird Service Dept
678 Humminbird Ln
Eufaula, AL 36027
PH: 334-687-6613
Fax: 334-687-1162

The James Company
207 West Hildreth Street
Enterprise 36330-2962
334-347-6514

Propeller Repair Service Inc.
11707 S. Memorial Parkway
Huntsville 35803
256-881-8151

Rod, Reel, & Trolling
Motor Repair
619 N Craft Hwy
Chickasaw 36611
251-675-6189

Tackle World
85 Breezy Lane
Cordova 35550
205-483-0220

ARKANSAS

Bradford Marine
2325 N Thompson
Springdale, AR 72764
479-750-1200

Bull Shoals Lake Boat Dock
Eastwood's Cove, Hwy 178
Bull Shoals 72619-0748
870-445-8357

Crafton Repair Service
124 Cranfield Road
Mountain Home 72653
870-492-6633

Hawks, Inc.
322 East Main Street
Blytheville 72315-3549
870-763-8288

Jones Trolling Motor Services
1817 Jim Walter Dr.
Texarkana 71854
903-826-5960

**JOI Canada
4180 Harvester Road
Burlington, Ontario
L7L 6B6 Canada
PHONE: 905-634-0023
FAX: 905-634-0261**

Nife Marine
4100 Rixey Rd
Sherwood, 72117
PH: 501-835-2929

Perdue Motor Service
293 Riverside Ln.
El Dorado 71730-9336
870-797-3047

The Trolling Motor Shop
3792 Rhinehart Rd.
Pine Bluff 71602
501-534-4161

Waymack Marine
5829 N Thompson St.
Springdale 72764
479-751-5550

Williams Marine
8238 Hwy 49N
Brookland 72417
870-236-7531

ARIZONA

Al's Electric Boat Service - Drop Off
2929 W Thomas Rd
Phoenix 85017
602-568-6204

Tempe Marine
1800 N Arizona Ave
Chandler 85225
480-782-6813

Total Trolling Motor
452 Llanos Dr
Lake Havasu City 86403
928-486-3017

CALIFORNIA

Central Valley Trolling Motor Service
3164 North Marks Ave. Suite
114
Fresno 93722
559-237-3947

Electric Tool & Motor Repair
7400 Hwy 273 Suite D
Redding 96001
530-244-1130

Hook, Line, & Sinkers
3100 Main St. #260
Oakley 84561
PH 925-625-2441

Jay Liu's Service
7752 Pit Ct
Redding, 96001
530-246-8051

Junior's Boat Repair
4650 Prairie Road
Paso Robles 93446-9568
805-239-5619

Lambert Enterprises
500 Riviera Place
San Ramon 94583-3638
925-829-5977

**Minn Kota Motors &
Marine
555 Main Street, Suite 022
Racine, WI 53403-1035
USA
PHONE: 800-299-2592
FAX: 262-631-6609**

Ridge Marine
6160 Center Street
Paradise 95969-3912
530-877-1766

Sidewinder Marine
2817 Joy Ave.
Ceres 95307
209-537-2000

Sunny's Electric Marine
1500 El Camino Ave. Suite C
Sacramento 95815
916-487-3868

The Trolling Motor Doctor
3720 Industry Ave #105
Lakewood 90712-4131
562-988-9444

Trolling Motors West LLC
4564 E Los Angeles Ave Unit F
Simi Valley 93063
805-577-9191

COLORADO

Christy's Minn Kota Sales &
Svc.
2618 Hollingbourne Dr.
Ft. Collins 80521
970-224-5835

Colorado Trolling Motors
1102 Kingsley Dr.
Colorado Springs 80909
719-596-7815

CONNECTICUT

Center Marine
457 Storrs Road
Mansfield Center 06250-1219
860-423-1497

Tournament Force Tackle
Systems
3 William Lane
Clinton 06413
800-903-0721

DELAWARE

Jon's Trolling Motor & Reel
Repair
113 Richardson Circle
Dover 19901-6313
302-697-9488

FLORIDA

Aqua-Marine Services, Inc
3600 69th St
Vero Beach 32967
772-564-0040

Bob's Discount Marine
215 So. Spring Garden Ave.
De Land 32720-5139
386-738-3701

Central Florida Trolling Motors
3780 US Hwy. 92 East
Lakeland 33801-9664
863-666-2248

Authorized Service Centers

Your new Minn Kota Motor was built to exacting specification under rigid quality control, to provide you years of trouble-free operation. If, for some reason, it should ever need adjustment or service, your motor may be sent to:
Service Department, Minn Kota, Johnson Outdoors, P.O. Box 8129, Mankato, MN 56002-8129, or to any Minn Kota Authorized Service Center. Outside the United States, please see listing for the Authorized Service Center near you.

The Fix It Shop
940-B Cattleman Rd.
Sarasota 34232-2810
941-371-4434

Glenn Pace's Minn Kota
Sales & Service
3618 C Fowler St
Fort Myers 33901
239-939-9851

Hammers Trolling Motors
6470 Hwy 29 N
Molino 32577
850-587-2149

Jim's Motor Repair
103 North Cove Avenue
Panama City 32401-4073
850-785-5376

J & C Drydock Marine
3315 S Tamiami Trl.
Punta Gorda 33950
941-639-3725

Kel's Rod & Reel Service
430 E Semoran Blvd
Casselberry 32707
407-834-3008

L & L Marine
5527 Hwy. 331 South
DeFuniak Springs 32433
850-892-7319

Master Repair, Inc.
4700 W Prospect Rd #117
Ft. Lauderdale 33309
800-297-2846 or 954-566-5833

Nobles Marine
437 North Palmetto Street
Leesburg 34748-5266
352-787-5792

Outback USA
14021 US 27 S
Sebring 33876
863-699-2220

R & K Trolling Motor
5104 NW 109th Ln
Gainesville 32653
352-338-2966

Rapid Service Center
224 NW 8th Ave.
Gainesville 32609-1862
352-377-2109

S & A Leisure, Inc.
1300 N Hwy. 309
Welaka 32193
386-467-7000

Suncoast Reel Services
5508 Haines Rd
St. Petersburg 33714
727-528-7637

Suncoast Rod & Reel Repair
1185 E. Alfred
Tavares 32778
904-343-7877

Trolling Motor Service (TMS)
4125 - B Blanding Blvd.
Jacksonville 32210
904-573-0480

GEORGIA

Broadway Tackle & Boat Rental
1730 Broad Street
Augusta 30904-3928
706-738-8848

Bulloch Marine
13573 GA Hwy 67
Statesboro 30458
912-839-3289

Larry's Quick Stop/Bait & Tackle
1305 1st St. NE
Moultrie 31768
229-985-1488

Marine Carpeting LLC
202 Griffen Ave
Attapulgus
229-465-2628

Marine Electronics
14353 Georgia Hwy. 219
West Point 31833-8616
706-663-4671

Nutter Rod and Reel
3383 Hwy 411 NE
White 30184-2432
770-386-3978

Riverdale Marine Electric
560 Janice Dr.
Fayetteville 30214-3220
770-964-0847

Sports Center Parts & Svc.
400 Valley Drive
Perry 31069-2410
912-987-3070

IDAHO

Captain Hook's
1819 Holli Park
Idaho Falls 83401
208-525-2028

Minn Kota Mike
1311 E. Linden Ave.
Coeur d'Alene 83814
208-664-2753

ILLINOIS

Al's Sporting Goods
514 South Henderson St.
Galesburg 61401-4342
309-342-7776

Croegaert's Great Outdoors
4002 11th St.
Rock Island 61201
309-788-4868

Even-Keel Marine Inc.
6621 West State St.
Rockford 61102-1252
815-963-1105

Gilmore's Bait & Marine
15321 Carlinville Lake Rd.
Carlinville 62626-9218
217-854-8136

Harrison's Sport Shop
155993 Cambria Rd
DeSoto 62924
618-987-2030

J & M Marine
1409 E. Lincoln Hwy.
DeKalb 60115-4601
815-756-5888

Mid-Town Marina
285 - 5th St
East Dubuque 61025-0145
814-747-3310

Presley's South Side Worm Ranch
1510 W Garfield Ave
Bartonville, 61607
309-697-2059

Qualls
2705 So. Broadway
Salem 62881-9661
618-548-1153

Smiley's Sport Shop, Inc.
2049 E. Ireland Grove Rd.
Bloomington 61704-7103
309-663-1133

Strictly Fishing
23003 W Lincoln Hwy
Plainfield, 60544
815-609-9600

Top of the Hill
537 Illinois Ave. Ext
Murphysboro 62966-9455
618-684-2923

Wirae Inc / Marine Division
9200 S Harlem Ave
Bridgeview 60455
708-741-4141

INDIANA

A & L Electronics
10690 N 500 W
Wheatfield 46392
219-987-2899

A20 Boating and Marine Supply, Inc.
504 Lewis & Clark Blvd.
Clarksville 47129
812-282-4636

Erwin's Marine
1858 Lincoln Way
Valparaiso 46383
219-462-1634

Fort Wayne Boating Center
2223 Goshen Rd.
Ft. Wayne 46808
260-422-8468

Four Way Bridge Bait Shop
8964 E Cty. Road 350 South
Dugger 47848-9779
812-847-7989

Garr Hill Bait Storage &
Marine Inc.
8035 Pea Ridge Rd.
Brookville 47012
765-647-3178

GM Industries
9502 W. 800S
Swayzee 46986
765-922-4816

J. Sawyer Wholesale Bait Co.
130 Market Street
Charlestown 47111-1234
812-256-3131

Schwartz Marine
6910 W 425 N
Shipshewana 46565
260-768-4894

Stahl Marine
11330 W Maple Dr
Columbus 47201
812-371-0478

Starboard Choice Marine
506 Division St
Mishawaka 46545
574-257-7827

Tackle Service Center
246 East Washington St.
Mooresville 46158-1459
317-831-2400

Westforth Sports
4704 Roosevelt Street
Gary 46408-3748
219-980-0680

IOWA

Bob's Small Engine Repair
505 5th Avenue
Marion 52302-3258
319-377-3339

Don & Jim's Auto Electric
27 – 23rd St SW
Mason City 50401
641-423-4113

Four Seasons Repair
35332 1st St
LeMars 510361-8741
712-546-5596

Glenn's Reel & Rod Repair
2210 East 9th Street
Des Moines 50316-1999
515-262-2900

Iowa Falls Trolling Motor
230 Elm
Iowa Falls
(641) 648-9694

J & B Repair
545 Cathallan Rd
Harpers Ferry 52146
563-586-2226

Mitch's Minn Kota Repair
527 W 28th
Cedar Falls 50613
319-859-0246

Nick's Rod & Reel
Service Center
2604 W Locust St., Unit 3
Davenport 52804-3341
563-391-1517

R & R Sports Inc.
2014 North 2nd St.
Clinton 52732-2536
563-243-4696

Shamrock Boat Sales
217 370th St.
Carnarvon 51450
712-664-2356

KANSAS

Alan Appliance Service
1300 East Central St.
Wichita 67214-4002
316-262-7228

Arnie's Boat Sales & Svc.
2036 E. 1400 Rd.
Lawrence 66044-9304
785-842-3916

Curt's Trolling Motor Repair
5114 S Custer
Wichita 67217
316-529-2789

Midwest Trolling Motor Service
2026 North Jackson
Junction City 66441-2285
785-762-6888

KENTUCKY

B & J Trolling Motor
5910 Poplar Level Rd.
Louisville 40228-1040
502-969-8511

Echo Electronics
2150 Blankenship Drive
Paducah 42003-9001
270-442-7673

Kentucky Trolling
Motor Service
7000 Jacks Creek Rd.
Lexington 40515-9539
859-272-3632

T & A's Trolling Motor Service
235 Old Nicholson Rd
Walton 41094
859-485-1160

Wayne Co. Marine
Route 1, Box 290A
Monticello 42633
606-348-5483

LOUISIANA

Antley's Trolling Motor Repair
342 Worthey Road
West Monroe 71291-1694
318-396-9292

Bayside Tackle
102 S bay Rd
Pierre Pat 70339
958-252-3300

Bobcat Boats, Inc.
5088 Hwy. 171
Gloster 71030-3112
318-933-8183

Bobby Lynn's Marina
24015 Hwy. 1
Golden Meadow 70357
985-396-2678

Carl's Tackle Box
42209 Hwy 931
Gonzales 70737
225-622-2651

Carl's Trolling Motor Repair
194 NE Natchitoches
Sibley 71024
318-377-6164

Dive Salvage & Marine
2036 Texas Ave.
Shreveport 71103-3637
318-222-0753

Dixie Trolling Motor Repair
78449 Southern Dr.
Covington 70435
985-809-0685

Front to Back Boat Service
2221 N Airway Dr.
Baton Rouge 70815
225-928-9644

Foster & Joshua's Trolln
Motor/ATV
3720A W Bank Exprwy
Harvey 70058
504-328-2877

Landry's DHP Marine
5817 Common St.
Lake Charles 70607
337-478-1291

Midlake Marine Service
13126 Texas Hwy.
Many 71449-9176
318-256-5573

Ray's Repair Service
6794 W. Main
Houma 70364
985-868-2473

Superior Trolling Motor Repair
116 Banks Ave.
Lafayette 70506
337-237-0605

Trolling Motors Unlimited
301 E Magistrate Suite A
Chalmette 70043
504-277-9595 or
(800) 535-0399

MAINE

Elfring Enterprises
15 Fernald Rd.
Freeport 04032
207-865-1027

MARYLAND

Beck's Gunsmithing
19200 Middletown Road
Parkton 21120-9693
410-357-5767

Mare, Inc.
7006 Blue Mountain Rd.
Thurmont 21788
301-898-3717

MASSACHUSETTS

Tropicland Marine & Tackle
100 Bridge Street
Dedham 02026-1702
781-329-3777

MICHIGAN

Coastline Power & Lighting
8338 Anchor Bay Dr.
Algonac 48001
810-794-5951

D & R Sports Center
8178 W. Main Street
Kalamazoo 49009
269-372-2277

Great Lakes Communications
4970 W River Dr.
Comstock Park 49321
616-647-9990

Trolling Motor Repair
119 E. Main St.
Kingsley 49649-0077
231-263-5998

Vern's Sport Shop
827 Michigan Ave. West
Battle Creek 49017-2022
269-964-2024

Wonderland Marine West
5796 E Grand River
Howell 48843
517-548-5122

MINNESOTA

Anglers Marine and Sports
Center
104 Mn Hwy. 78 N.
Ottertail 56571
218-367-3927

Alexandria Appliance, Inc
423 S Nokomis Unit 1
Alexandria 56308-1544
320-762-5111

Bruce's Outboard Shop
5440 Mayhew Lake Rd. NE
Sauk Rapids 56379-9744
320-253-9273

Corner Sports
4404 Hwy 71 N
Bemidji, MN 56601
218-444-1010

Capra's Service Center
8565 Highway 65 NE
Minneapolis 55434-3314
763-780-2213

D & D Repair & Appliance
517 N Washington
Detroit Lakes 56101
218-847-9775

Dey Distributing Inc.
4302 Airpark Blvd.
Duluth 55811
218-723-1626

Electric Fisherman East
11229 Frider Rd.
Chisholm 55719
218-254-4852

Electric Fisherman West
28065 Alicia Pl.
Grand Rapids 55744
218-326-2217

Fischer's Outback
22557 730th. Ave.
Graceville 56240
PH/Fax: 320-748-7482

Fish Lectronics
5003 University Ave NE
Minneapolis 55421-1950
763-571-1277

Formula Propeller & Repair
6336 Lakeland Ave. N
Brooklyn Park 55428
763-535-8011

Harvala Electronics
612 East 1st St
Park Rapids 56470-1705
218-732-3211

JK Olson Minn Kota Service
345 College Ave.
Hutchinson 55350
320-587-7721

J & M Company
9385 Golf Course Dr.
Angle Inlet 56711
218-223-4381
Kandi Minn Kota

584 So. Andrew Drive NE
New London 56273
320-354-5243

Lakesonic
1117 North Broadway
Rochester 55906-6841
507-281-4445

Maxxum Rigging
6643 48th Ave NW
Walker 56484
218-547-4877

Motor Clinic
5796 W Old Shakopee Rd.
Suite 101
Minneapolis 55438
952-881-0898

Pete's Repair Center
219 W Main st.
Ottertail 56571
218-367-3927

Pike Bay Repair
6623 Hwy 169
Tower 55790
218-749-2279

Prince Bait & Marine
19196 Hwy. 169 Rt. 3
Milaca 56353
320-983-6344

Ray's Sport & Marine
710 NE 4th St.
Grand Rapids 55744-3105
218-326-0353

Rick's Taxidermy & Bait
128 E 1st St
Minneota, MN
507-829-1084

Riverside Sportland
1110 N Hwy. 75
Breckenridge 56520
218-643-6382

Scheel's - St. Cloud
40 N Waite Ave.
Waite Park 56387
320-525-9494

Sportsmens Service
424 3rd Ave
International Falls 56649
218-283-2411

Streiff Sporting Goods Inc
34480 550th Ave
Warroad, 56763
218-386-2590

Jim Wentworth's Fish
Lectronics
24718 Smiley Road
Nisswa 56468
218-963-4375

West End Sports Center
2301 W. Main
Red Wing 55066
651-388-6591

Willey's Marine
46054 State Hwy 65
McGregor 55760
218-426-4350

MISSISSIPPI

Brown's Repair Center
708 Old Whitfield Rd
Pearl 39208
601-932-2793

Caruthers Inc.
3315 Washington St.
Vicksburg 39180-5057
601-636-9433

J&J Marine
1430 Hwy. 25 S
Starkville 39760
866-325-6177

Miller Marine & Outdoor Center
306 7th Ave.S.
Columbus 39701-1703
662-328-4751

Mississippi Trolling Motors &
Marine, LLC
400-C Industrial Park Rd.
Starkville 39759
888-684-8698

Propeller Service, Inc.
291 Hwy. 51 D-6
Ridgeland 39157-3934
601-856-3191

MISSOURI

Fishing Items Service Hdqtrs.
9412 NE. 157th St.
Kansas City 64155-1500
816-532-8350

Grizzly Jig Co.
303 Ward Ave.
Caruthersville 63830
800-305-9866

Hyper Sports, Inc.
5606 N State Hwy 7
Camdenton 65020
573-347-2681

J's Trolling Motor Clinic
802 State Rt. K
Pottersville 65790
417-256-9319
(After 4:00 PM)

Marine Repair Center Inc.
514 N Prince LN
Springfield 65802
417-833-9191

Martin's Rod & Reel
801 Clarence Dr.
St. Charles 63301-0148
636-946-4509

Outdoor World Rod & Reel
2300 E. Turner Suite M
Springfield 65803
417-873-5274

Paul's Bait & Tackle
4421 Chippewa St.
St. Louis 63116-1608
573-773-6221

Scenic Rivers Boats & Motors
7027 Stormy Lane, Hwy. 67 S
Bonne Terre 63628
573-358-7040

Tri-State Trolling Motor Repair
428 Chez Paree Dr.
Hazelwood (St. Louis) 63042-3540
314-921-7292

The Boat Doc
9322 S 7 Hwy
Lee Summit 64086
PH/FAX: 816-564-6607

MONTANA

Mon-Dak Marine
907 US Hwy. 2 West
Glasgow 59230
406-228-2900

Townsend Electric
7819 Hwy. 287
Townsend 59644
406-266-5279

NEBRASKA

Pat Hayes Electric Troll
Service
6101 South 49th St.
Omaha 68117-2735
402-734-2305

Flohr Electric Service, Inc.
4356 South 90th St.
Omaha 68127-1310
402-331-6863

Kerns Sports and Marine
6100 N 56th St. #2
Lincoln 68504
402-466-6900

NEVADA

J.R. Trolling Motor
479 Annapolis Circle
Henderson 89015
702-568-6635

NEW HAMPSHIRE

Extreme Bass
60 Rockingham Rd. Unit 20
Windham 03087
603-893-5560

NEW JERSEY

D&D Marine
81 Ringwood Ave.
Wanaque 07465
973-835-2966

NJtrollingmotors
108 Don Connor Blvd.
Jackson 08527
732-833-1610

NEW MEXICO

Jay's Minn Kota Service
5 Rd 3435
Aztec 87410-2805
505-334-8504

NEW YORK

Andersen Boat Shop, Inc.
883 Saratoga Rd
Burnt Hills 12027-0046
518-399-5003

Boats Unlimited
408 1st St.
Utica 13501
315-735-1777

Fish307.Com
1571 State Rt 9
Lake George 12845
518-798-9203

Mogadore Bait & Tackle 780
Randolph Rd
Mogadore 44260
330-628-9872

Phister Boats & Tackle
41611 Clear Lake Rd
Theresa 13691
PH: 315-482-7575

Tony's Reel Repair
12952 Alleghany Rd
Irving 14081
716-934-7001

Tri-State Trolling Motor Repair
428 Chez Paree Dr.
Hazelwood (St. Louis) 63042-3540
314-921-7292

Mon-Dak Marine
907 US Hwy. 2 West
Glasgow 59230
406-228-2900

Anchor Marine, Inc.
1851 East Dixon Blvd.
Shelby 28150
704-487-7661

Coastline Service Center
706 North William St. #A
Goldsboro 27530-2797
919-736-3859

Field & Stream Sports
2723 Neuse Blvd
New Bern 28562
252-637-5100

Fisherman's Friend
1401 S Ridge Ave.
Kannapolis 28083
704-934-2122

Outboard Performance
4571 US 1 N.
Franklinton 27525
Ph/Fax: 919-494-7100

The Boat Shop
642 Bypass 129
Robbinsville, 28771
828-479-9799

TS Trolling Motor Service
315 Fulton St.
Kings Mountain 28086
704-739-5426

NORTH DAKOTA

A.G. Repair & Sales
2020 46th Ave SE
Bldg B-Ste 3
Mandan, 58554
701-471-9071

Bob's Trolling Motor Service
1515 Baywood Dr
West Fargo 58078-1529
701-281-9566

Brad's Repair
1239 Eastview Dr
Grafton 58237-1879
701-360-2907
Call Ahead!

Grand Forks Scheels
1375A S Columbia Rd.
Grand Forks 58201
701-780-9424

Halverson Motor Sports
1410 Kelly Dr
Devils Lake, 58301
701-662-1044

Scheels All Sports
802 Kirkwood Plaza
Bismarck 701-255-7255

Scheels All Sports
3202 13th Ave. S
 Fargo 58103
701-298-2918

Scheels - Dakota Square
2400 10th St. SW
Minot 58701
701-852-1010</